L Number	Hits	Search Text	DB	Time stamp
1	1	(((709/(203,217,223,224)).ccls.) and ((embed$3 or insert$3 or encapsulat$3) with (((user or client or account) adj (information or data)) or ((application or platform or client or computer or (operation adj system) or tool or engine))) with (id or identifier or identification) with (page or file or document)) and @ad<20001012) and (log adj file)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/27 10:43
2	26	(((709/(203,217,223,224)).ccls.)) and (file or page or document) adj3 (found or exist$3 or retriev$3 or obtain$3) with ((error adj log) or (log adj file)) and @ad<20001012	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/27 10:45
-	0	(embed$3 or insert$3) with (user adj informatin) with (page or file or document)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/15 13:55
-	58	(embed$3 or insert$3) with (user adj information) with (page or file or document)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/14 10:13
-	27	((embed$3 or insert$3) with (user adj information) with (page or file or document)) and @ad<20001012	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/15 19:27
-	7	((embed$3 or insert$3) with (application adj (id or identifier or identification)) with (page or file or document)) and @ad<20001012	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/14 16:18
-	388	(embed$3 or insert$3 or encapsulat$3) with ((user adj information) or ((application or platform or client or computer or (operation adj system) or tool or engine))) with (id or identifier or identification) with (page or file or document)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/15 14:01
-	168	((embed$3 or insert$3 or encapsulat$3) with ((user adj information) or ((application or platform or client or computer or (operation adj system) or tool or engine))) with (id or identifier or identification) with (page or file or document)) and @ad<20001012	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/04 15:07
-	3409	(709/203).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/15 19:27
-	13	((709/203).CCLS.) and ((embed$3 or insert$3 or encapsulat$3) with ((user adj information) or ((application or platform or client or computer or (operation adj system) or tool or engine))) with (id or identifier or identification) with (page or file or document)) and @ad<20001012	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/15 19:30
-	2	("6226642").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/09 08:45
-	1	(broken or incomplete) adj image adj tag	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 16:59

-	1	(broken or incomplete) adj image adj (tag or HTTP or URL or link)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 17:01
-	18536	(URL or link) with (fail$3 or error)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 17:02
-	37	track$3 near3 (URL or link) near3 (fail$3 or error)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 17:02
-	37	track$3 near3 (URL$1! or link$1!) near3 (fail$3 or error)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 17:02
-	1	Apache with software with error with log$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/04 14:51
-	33	((error adj log) with (user or client or account) adj (information or data))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/04 14:53
-	26	(((error adj log) with (user or client or account) adj (information or data))) and @ad<20001012	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/04 15:05
-	6225	(709/(203,217,223,224)).ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/04 15:06
-	14	((709/(203,217,223,224)).ccls.) and ((embed$3 or insert$3 or encapsulat$3) with ((user adj information) or ((application or platform or client or computer or (operation adj system) or tool or engine))) with (id or identifier or identification) with (page or file or document)) and @ad<20001012	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/04 15:07
-	14	((709/(203,217,223,224)).ccls.) and ((embed$3 or insert$3 or encapsulat$3) with (((user or client or account) adj (information or data)) or ((application or platform or client or computer or (operation adj system) or tool or engine))) with (id or identifier or identification) with (page or file or document)) and @ad<20001012	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/04 15:11
-	1	(((709/(203,217,223,224)).ccls.) and ((embed$3 or insert$3 or encapsulat$3) with (((user or client or account) adj (information or data)) or ((application or platform or client or computer or (operation adj system) or tool or engine))) with (id or identifier or identification) with (page or file or document)) and @ad<20001012) and (log adj file)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/27 10:41
-	1947	error with generat$3 with request	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/21 17:31

-	13	error with generat$3 with request with (error adj log)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/21 17:42
-	12	URL with (error adj log)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/21 17:42
-	6	(URL with (error adj log)) and @ad<20001012	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/21 17:48
-	272	(log$3 or stor$3 or record$3 or sav$3) near2 error near5 request and @ad<20001012	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/21 17:49
-	18	(log$3 or stor$3 or record$3 or sav$3) near2 error near5 request same (http or web or www)and @ad<20001012	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/21 17:50
-	2188	error adj log	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 17:37
-	4	(error adj log) near5 ((record$3 or captur$3 or stor$3 or sav43) near5 ((((user or client) adj information)) or cookie$1!))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 17:38
-	4	(error adj log) with ((record$3 or captur$3 or stor$3 or sav43) near5 ((((user or client) adj information)) or cookie$1!))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 17:39
-	4	(error adj log) same ((record$3 or captur$3 or stor$3 or sav43) near5 ((((user or client) adj information)) or cookie$1!))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 17:39
-	83	(error adj log) and ((record$3 or captur$3 or stor$3 or sav43) near5 ((((user or client) adj information)) or cookie$1!))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 17:40
-	47	((error adj log) and ((record$3 or captur$3 or stor$3 or sav43) near5 ((((user or client) adj information)) or cookie$1!))) and @ad<20001012	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/24 11:53
-	2	((error adj log) near4 (((user or client) adj information) or cookie$1!)) and @ad<20001012	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/24 11:55
-	3	((error adj log) with (((user or client) adj information) or cookie$1!)) and @ad<20001012	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/24 11:59
-	6	((error adj log) same (((user or client) adj information) or cookie$1!)) and @ad<20001012	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/24 11:59

-	2	URL$1! near4 (error adj log)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/24 15:23
-	12	URL$1! with (error adj log)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/24 15:49
-	84	Apache adj HTTP adj Server	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/24 15:50
-	0	Apache adj HTTP adj Server same (error adj log)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/24 15:50
-	0	Apache adj HTTP adj Server and (error adj log)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/24 15:50
-	16	identify$3 near5 URL$1! with error	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/25 15:58
-	20	URL$1! with (generat$3 or creat$3) near2 error	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/25 16:56
-	1	Apache with (stor$3 near5 URL$1!)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/25 16:38
-	1	Apache same (stor$3 near5 URL$1!)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/25 16:39
-	35	identify$3 with error with (page or file) with (found or exist$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/25 16:57
-	36	identify$3 with error with (page$! or file$1! or URL$1!) with (found or exist$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/25 16:58
-	29	(identify$3 with error with (page or file) with (found or exist$3)) and @ad<20001012	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/25 16:58
-	0	error with (page or file or URL) with "not" near3 (found or exist$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/25 17:13
-	0	(page or file or URL) with "not" near3 (found or exist$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/25 17:13

-	63	(page or file or URL) with (found or exist$3) same (error adj log)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/25 17:13
-	26	((page or file or URL) with (found or exist$3) same (error adj log)) and @ad<20001012	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/25 17:21
-	15	(identify$3 or determin$3 or examin$3) near6 (URL or locator or pointer) with ((error adj message) or (generated adj error)) and @ad<20001012	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/25 17:23
-	408	(identify$3 or determin$3 or examin$3) near6 (URL or locator or pointer) with ((error adj message) or (generated adj error) or error) and @ad<20001012	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/25 17:28
-	0	("96466966").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/25 19:14
-	2	("6466966").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/25 19:16
-	41	((file or page or URL) near4 (found or exist$3)) same (error adj log)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/25 19:18
-	17	(((file or page or URL) near4 (found or exist$3)) same (error adj log)) and @ad<20001012	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/25 19:51
-	0	"file not found" with ((error adj log) or (log adj file))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/26 08:08
-	0	"file not found" same ((error adj log) or (log adj file))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/26 08:08
-	535	(file$1! or page$1! or address$2! or locator$1! or pointer$!) near6 (find$3 or found or exist$3) same ((error adj log) or (log adj file))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/26 08:09
-	338	(file$1! or page$1! or address$2! or locator$1! or pointer$!) near6 (find$3 or found or exist$3) with ((error adj log) or (log adj file))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/26 08:09
-	189	(file$1! or page$1! or address$2! or locator$1! or pointer$!) adj4 (find$3 or found or exist$3) with ((error adj log) or (log adj file))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/26 08:10
-	112	((file$1! or page$1! or address$2! or locator$1! or pointer$!) adj4 (find$3 or found or exist$3) with ((error adj log) or (log adj file))) and @ad<20001012	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/26 18:31

-	43010	(file or page or document) adj3 (found or exist$3 or retriev$3 or obtain$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/26 09:38
-	180	(file or page or document) adj3 (found or exist$3 or retriev$3 or obtain$3) with ((error adj log) or (log adj file)) and @ad<20001012	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/27 10:44
-	7	(file or page or document) adj3 (found or exist$3 or retriev$3 or obtain$3) with ((error adj log)) and @ad<20001012	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/26 10:49
-	19664622	((miss$3 or broken or non-exist$3 or exist$3 or found or incorrect) near3 (page or file or URL$1!) same (error adj log)) @ad<20001012	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/26 12:40
-	15	((miss$3 or broken or non-exist$3 or exist$3 or found or incorrect) near3 (page or file or URL$1!) same (error adj log)) and @ad<20001012	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/26 12:45
-	62	((miss$3 or broken or non-exist$3 or exist$3 or found or incorrect) near3 (page or URL$1!)and (error adj log)) and @ad<20001012	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/26 12:46
-	1282	(detect$3 or examin$3 or identify$3 or determin$3) near4 (image adj (error or file or page))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/26 18:33
-	860	(detect$3 or examin$3 or identify$3 or determin$3) adj4 (image adj (error or file or page))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/26 18:35
-	19665280	2and @ad<20001012	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/26 18:33
-	462	((detect$3 or examin$3 or identify$3 or determin$3) adj4 (image adj (error or file or page))) and @ad<20001012	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/26 18:35
-	3	(((detect$3 or examin$3 or identify$3 or determin$3) adj4 (image adj (error or file or page))) and @ad<20001012) and (error adj log)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/26 18:34
-	2	(detect$3 or examin$3 or identify$3 or determin$3) adj4 (image adj (file or page)) adj4 error	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/26 18:41
-	7	(detect$3 or examin$3 or identify$3 or determin$3) adj4 (image adj (file or page)) with error	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/26 18:44
-	928	(broken or miss$3 or non-exist$3) adj image	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/26 18:44

-	0	(detect$3 or examin$3 or identify$3 or determin$3) adj5 ((broken or miss$3 or non-exist$3) adj image) adj3 error	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/26 18:44
-	43	(detect$3 or examin$3 or identify$3 or determin$3) adj5 ((broken or miss$3 or non-exist$3) adj image)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/26 18:53
-	7	((broken or miss$3 or non-exist$3) adj (image or banner) adj (file or page or document))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/26 18:54